



WE



WE Partition








WE is a single-glazed partition wall with a total thickness of 45 mm and 1 ¾ inches, available basic or industrial. In addition to the standard, many other glasses are available on request: extra-clear, acid-etched or screen-printed in various colors, with translucent colored PVB, LCD or with fabric interior.

Design:
Elliot Engineering & Consulting,
Centro Progetti Tecno
2019



WE è una parete divisoria monovetro dal profilo di spessore totale 45 mm, disponibile anche in versione industrial. A richiesta sono disponibili oltre allo standard, vetri extra chiari, acidati o serigrafati in vari colori, con interno in PVB colorato traslucido, LCD o tessuto interno.



WE Partition

Extremely simple management, maximum speed of assembly and minimized quantity of components, all of this make it possible to respond effectively to small, medium and large projects requiring a rapid and light reconfiguration of the interior and an easy and linear redistribution of space. The minimal and essential appearance can be enriched by vertical and horizontal cross-pieces to compose a light subdivision grid, with a very distinctive industrial feeling.


Estrema semplicità di gestione, massima velocità di montaggio e riduzione essenziale del numero di componenti, permettono di rispondere in modo efficace a piccoli, medi e grandi progetti che richiedono una rapida e leggera riconfigurazione degli interni e una facile e lineare redistribuzione degli spazi. L'aspetto minimale ed essenziale può essere arricchito dall'utilizzo di traversi verticali e orizzontali per comporre una leggera griglia di suddivisione, dal sapore industriale molto caratterizzante.





The Industrial version features 30 mm / 1 1/5 inches horizontal slats in extruded aluminum slats, flush with the vertical uprights. The system allows the slats to be repositioned at any time, thanks to the concealed hooking system on the vertical uprights.

La versione Industrial è caratterizzata dalla presenza di doghe orizzontali in alluminio estruso dall'altezza di 30 mm hanno uno spessore tale da risultare a filo con i montanti verticali. Il sistema consente il riposizionamento delle doghe in qualsiasi momento, grazie al sistema di aggancio a scomparsa sui montanti verticali.





WE Partition

WE reaches a certified noise reduction from Rw 32 dB to Rw 37 dB. The doors also stand out for their acoustic performance levels, as they have been tested in the laboratory to guarantee outstanding results.

WE raggiunge un abbattimento acustico certificato da Rw 32 db fino a Rw 37 db. Spiccano per performance acustiche anche le porte, testate in laboratorio per garantire risultati d'eccellenza.

Type Tipologia		Result Risultato
		Rw
Single glazed partition Parete mono vetro	5+5+0,38	32 dB
Single glazed partition Parete mono vetro	5+5+0,76 Acoustic Acustico	35 dB
Single glazed partition Parete mono vetro	6+6+0,76 Acoustic Acustico	37 dB



WE Partition

Coordinated by

Tecno Marketing & Communication dept.
marketing@tecnospa.com

Tecno SPA

Piazza XXV Aprile 11
20154 Milan – Italy

Headquarters

Via Milano 28
22066 Mariano Comense – Italy

Offices

Milan / Paris / London / New York

E info@tecnospa.com

T +39 031 75381

F +39 031 7538220

tecnospa.com

